



山东方兴建筑材料有限公司
SHANDONG FANGXING BUILDING MATERIALS CO., LTD.

淡泊 · 尊贵 · 低调 · 奢华



Simplicity Nobility Modesty Sumptuousness





莱州工业园区办公楼
Office Building Located in Laizhou Industry Park



国际贸易部设在青岛颐和大厦
International Business Department
Located in Top Yhe International Building, Qingdao

企业简介

山东方兴建筑材料有限公司是一家具有二十多年制瓦历史的专业公司。
二十多年的发展历程中，方兴肩负环保使命，坚持诚信原则，以优质的产品和服务赢得了客户的信赖。
方兴坚持不懈努力，致力于成为最专业的屋面瓦制造商。

COMPANY INFORMATION

Shandong Fangxing Building Materials Co., Ltd. has been engaged in the professional manufacture of roofing tiles for twenty years.

Fangxing has always considered environmental protection as its own mission and taken honesty as its cardinal principle during the past 20 years. Finally it wins over customers through excellent quality and service.

Fangxing is aiming to become one of the most professional manufacturers of roofing slates through its untiring efforts.



产品特点

形似天然，优于天然

- 无辐射
- 利用率高
- 不易破碎
- 纹理清晰

施工简便

产品可实现自然生态循环



FEATURES

- Natural shape better than shingle and slate
- No Radiation
- High Utilization Rate
- Durability
- Distinct Pattern
- Convenient Installation
- Cyclic Utilization

产品简介

方兴平瓦是采用天然碎石颗粒为主要原料，经高温高压一次成型，以自然天成的风格，呈现给追求品位的建筑。


BRIEF INTRODUCTION

Fangxing Slate and Shingle are once molded into shape under high temperature and high pressure with the main material of natural stone grains. They are presented in the tasteful and elegant constructions with a natural style.



石纹瓦

木纹瓦



正脊瓦
Ridge Unit

正脊端瓦-1
Terminal Ridge-1

正脊端瓦-2
Terminal Ridge-2


封山瓦
Barge Board

斜脊端瓦
Diagonal Ridge Terminal

专用钉
Fittings

斜脊处理
Diagonal Ridge

注：木纹配瓦与石纹配瓦的形状尺寸完全相同，仅颜色不同。
Note: The accessory tiles of Shingle and Slate are completely same in shapes and dimensions, only different in colors.



众人眼中的尊贵
多与奢侈有关
尊贵者眼中的奢侈
却是一种稀有的品质
就像今天的方兴平瓦
每年只为全世界五千栋豪宅装饰

Nobility, in common people's eyes,
Comes along with luxury always,
Which, for the noble people,
Carries a quality rare and unusual,
Like Fangxing flat tiles today,
Creates a yearly opportunity for 5000 mansions only.

产品性能 SUPERIOR PERFORMANCE

全天候性：适用于比较严峻的气候条件：

All-weather: applicable under severe climatic conditions

防火性：通过美国UL94-96标准检测，结果为V-0；

Fireproofing: pass the UL94-96 standard test, the result is V-0

安全性：瓦片之间互为紧锁式搭接，绝无滑落可能；

Security: interlocking lapping between the tiles, no possibility to fall

防水性：吸水率仅为0.43%；

Water Proof: the water absorption rate is only 0.43%

抗折强度：1047N（支撑间距260mm）；

Bending Strength: 1047N (support spacing: 260mm)



主要技术数据 MAIN TECHNICAL DATA

产品名称 Product Name	外形尺寸 (mm) 长×宽×高 Dimension(mm) Length×Width×Height	有效尺寸 (mm) 长×宽 Effective Dimension(mm) Length×Width	每平方米用量 (块/m²) Quantity/ m²(pcs/ m²)	重量 (kg) Weight
石纹主瓦 Slate	360×340	300×300	11.1	1.5±0.1
石纹边瓦 Edge Tile of Slate	360×490	300×450	7.4	3.0±0.1
木纹主瓦 Shingle	360×490	300×450	7.4	2.9±0.1
正脊瓦 Ridge Unit	300×200	470×200	-	0.9±0.05
斜脊瓦 Diagonal Ridge	300×200	470×200	-	0.8±0.05
正脊端瓦-1 Ridge Terminal-1	300×200×95	270×200	-	0.9±0.05
正脊端瓦-2 Ridge Terminal-2	300×200×200	270×200	-	0.65±0.05
斜脊端瓦 Diagonal Ridge Terminal	290×200	260×200	-	0.5±0.05
封山瓦 Eave Tile	330×170	300×170	-	0.5±0.05
配件 Fittings	木螺钉 Screws for wood	50×4	-	2.7千个 2.7 thousand pcs

配件使用量/m²：石纹主瓦 34个/m²，石纹边瓦、木纹主瓦 23个/m²，配瓦 2个/块。
Quantity of fittings: Slate 34pcs/m², Edge Tile of Slate or Shingle 23pcs/m², Fittings 2pcs/ Slate or Shingle

山东方兴建筑材料有限公司

SHANDONG FANGXING BUILDING MATERIALS CO., LTD.

地址：中国山东莱州市北苑路668号

Industry Park: 668 Beiyuan Road, Laizhou, Shandong, China

国际业务咨询 International Business Hotlines

电话(TEL): +86-532-85039205

传真(FAX): +86-532-85039203

<http://www.fangxingroofing.com>

E-mail: export@fangxing.com

国内业务咨询 Domestic Business Hotlines

电话(TEL): +86-535-2291030

传真(FAX): +86-535-2291040

<http://www.fangxing.com>

E-mail: manager@fangxing.com